

IZERWAREN




Chapter Eight

Glass Door Hardware for Wing Doors and Shower Doors. Exterior Grade.






26 Edition I


Non Corrosive Fine Building and Ships Hardware
IZERWAREN.COM
IZERWAREN.BIZ




Valves for Fire Fighting





 #91.778 Valve + 1 1/2" with N=66 Storz Coupling and Dust cap Steel powder coated turning wheel Thread: 1 1/2" BSP. Valve chrome over brass  # 91.CSL female/female adapter 1 1/2" BSP to NPS	 #91.778 Valve 1 1/4" showing with Storz coupling and dust cap N=52 Steel powder coated turning wheel Thread: 1 1/4" BSP. Valve chrome plated brass 	 #91.778 Valve 1 inch showing with Stainless Steel Camlock Coupling & cap Steel powder coated turning wheel Thread: 1" BSP. Valve chrome plated brass 
--	--	--

Adapters, Couplings

#92.380 Storz coupling male N=52 #92.381 Storz coupling male N=66 Please specify thread and base material (Brass or Aluminum)	 #92.380/1 male thread
#92.382 Storz coupling female N=52 #92.383 Storz coupling female N=66 Please specify thread and base material (Brass or Aluminum)	 #92.382/3 female thread
# 91.CSL female/female adapter from 1 1/2" BSP to NPS 1 1/2" Chrome plated brass	 #91.CSL
#91.052 Dustcover Storz N-52 (Brass or Aluminum) #91.066 Dustcover Storz N-66 (Brass or Aluminum) #91.1431 Storz coupling w. hose barb N-52 to 1 1/2" hose #91.1436 Storz coupling w. hose barb N-66 to 1 1/2" hose	



Flange Mounted Valves with Storz Couplings


#91.54091 Size 1 inch: A = 50 C = 115 D = 160/180 #91.54092 Size 1 1/2 inch: A = 70 C = 150 D = 175/195 #91.54093 Size 2 inch: A = 85 C = 165 D = 195/210 E = 66 Storz Coupling #91.54094 Size 2 1/2 inch: A = 85 C = 165 D = 240/265 E = 81 Storz coupling All Models: Black steel powdercoated wheel	90 degree model with DIN flange 	 * *Actual part has black steel powdercoated wheel Picture may not show actual part
#91.53171 Size 1 inch: A = 70 C = 115 D = 155/170 #91.53172 Size 1 1/4 inch: A = 75 C = 140 D = 160/175 #91.53173 Size 1 1/2 inch: A = 88 C = 150 D = 175/195 E = 66 Storz Coupling #91.53174 Size 2 inch: A = 100 C = 165 D = 185/205 E = 66 Storz coupling #91.53175 Size 2 1/2 inch: A = 120 C = 185 D = 225/260 All Models: Black steel powdercoated wheel	60 degree model with DIN flange 	 * *Actual part has black steel powdercoated wheel Picture may not show actual part
#91.54881 Size 1 inch: A = 106 C = 115 D = 125/150 #91.54882 Size 1 1/4 inch: A = 115 C = 140 D = 130/150 #91.54883 Size 1 1/2 inch: A = 125 C = 150 D = 130/150 E = 66 Storz Coupling #91.54884 Size 2 inch: A = 155 C = 165 D = 160/180 E = 66 Storz coupling #91.54885 Size 2 1/2 inch: A = 180 C = 185 D = 250/290 All Models: Black steel powdercoated wheel	Straight model with DIN flange 	 * *Actual part has black steel powdercoated wheel Picture may not show actual part
#92.380 Storz coupling male N=52 #92.381 Storz coupling male N=66 Please specify thread and base material (Brass or Aluminum)	 #92.380/1 male thread	
#92.382 Storz coupling female N=52 #92.383 Storz coupling female N=66 Please specify thread and base material (Brass or Aluminum)	 #92.382/3 female thread	
#91.052 Dustcover Storz N-52 (Brass or Aluminum) #91.066 Dustcover Storz N-66 (Brass or Aluminum) #91.1431 Storz coupling w. hose barb N-52 to 1 1/2" hose #91.1436 Storz coupling w. hose barb N-66 to 1 1/2" hose		



Firefighting Nozzles – Water and AFFF only



#92.521 Nozzle with Ball Valve
Showing with Storz Coupling N=66 and conversion adapter.
Lever operated Blast/Closed/Misting.
Operating pressure: up to 16 bar.
Lightweight Nozzle. Aluminum with Polyamide grip. Nozzle opening: 12 mm diameter. Flow diameter: 30 mm
Size: 380 mm long x 140 mm 15 x 5 1/2 inch. Weight off nozzle: 3 lbs. with aluminum Storz coupling N = 66 and conversion adapter. Used at European Mega Yachts



#91.KC1 Nozzle UL approved with Storz coupling N=66
Brass Chrome Plated Nozzle. UL Rated. Manufacturer Part Number: 6AKC1.
Activates By: Twisting.
For Use With Water.
Inlet Size: 1 1/2 inch. Maximum Flow Rate: 130 gpm. Maximum Pressure: 100 psi.
Nozzle Spray Pattern: Fog.
Activation Method: Twist. Nozzle Type: Adjustable Gallonage.
Rating: UNSPSC: 46191603.



#91.151 Nozzle with Piston Grip Coast Guard Approved Firefighting Nozzle and UL rated.

With Storz N=66 coupling
Dimensions Nozzle: 8 3/4" X High 10 3/4"
Weight: 14.5 lbs.
Add Storz Coupling weight: (2 lbs. brass chrome; 0.5 lbs. aluminum)
Operating pressure: up to 100 PSI.
Thread: US NPS female 1.75" -9
To: US NPT 1 1/2" Storz coupling

Hoses and Containers



#91.707 Fire Hose Pyroflat white 1 1/2 inch diameter with Storz couplings N=66
18 meter / 59 feet Pyroflat hose with aluminum Storz couplings distance = 66 mm.
Use with valve #91.778



#91.707 Fire Hose piroflat white 1 1/2 inch diameter with Storz couplings N=52.
18 meter / 59 feet w. alu. Storz coupling for 1 1/4 ID fire system
Storz coupling distance = 52 mm.
Use with fire valve #91.777



Part#: 91.728 Fire Hose Container
600 x 500 x 180 mm, Fiberglass.
Made from ~ 1/8 inch Fiberglass for max. 18 meter fire hose; Equipped with stainless steel hinges and lockable stainless steel hasp

Adapters, Couplings

#92.380 Storz coupling male N=52
#92.381 Storz coupling male N=66
Please specify thread and base material (Brass or Aluminum)



#92.380/1



male thread

#92.382 Storz coupling female N=52
#92.383 Storz coupling female N=66
Please specify thread and base material (Brass or Aluminum)



#92.382/3





female thread

91.CSL female/female adapter from 1 1/2" BSP to NPS 1 1/2"
Chrome plated brass



#91.CSL

#91.052 Dustcover Storz N-52 (Brass or Aluminum)
#91.066 Dustcover Storz N-66 (Brass or Aluminum)
#91.1431 Storz coupling w. hose barb N-52 to 1 1/2" hose
#91.1436 Storz coupling w. hose barb N-66 to 1 1/2" hose












BAUHAUS

**JADO DECORATIVE
DOOR HARDWARE BY
IZERWAREN.COM**


Lock Functions Using Roses Or Escutcheon plates

 Privacy function with Round Roses	 Skeleton Key way Entry Fuction	 Entry Function with Round Roses (keyway not shown)
 Privacy function with Square Roses	 Bauhaus Holz Ebony Bauhaus Jado Design – Passage Function	 Entry function with Square Roses
 Privacy function with Escutcheon	Escutcheon #402 236 x 48 x 7 mm  Profile cylinder keyway Knob/Key #05.405.266	 Entry function with Escutcheon

IZERWAREN.COM / Decorative Levers



LEVER #14.J402 **"BAUHAUS"**
 ROSE #14.J371 52 X 52 MM
 Polished Chrome Plated Brass Plated.



Bauhaus Lever with Mini Roses and Escutcheons. Email us your preferences.

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch



55 mm backset
 Doorthickness: 1 ½ inch




65 mm backset
 Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
 Let us tell you about the lock functions and finishes that are available to you.
 Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER #14.964.266 set with escutcheon **"BAUHAUS"**
 Escutcheon #14.J964 236 x 48 x 7 mm
 Polished Chrome Plated Brass Plated.



passage




entry



privacy



55 mm backset
 Doorthickness: 1 ½ inch








Email our office with your preferred function and finish.
Sales@izerwaren.com



LEVER #14.J4029

"BAUHAUS EBONY"



WITH FAKE SCREWS

STANDARD

SQUARE ROSES WITH FAKE SCREW VERSUS ROSES WITH NO SCREW SHOWING.
ALL ROSES ARE CLIP ON ROSES TO AN UNDERROSE WHICH IS SCREWED TO THE DOOR.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #14.J3402 "BAUHAUS" ENTRY SET DEPICTED
Satin nickel plated brass



ENTRY SET WITH ROUND ROSES DIAMETER: 52 MM

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch







65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.00013
ROSE

"IQ-CARRE"
#13.J371



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch







Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J3685 "PURE QUATTRO"
ROSE #13.J371
Polished chrome plated brass



Rose #14.J361

and square rose #14.J371

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



ROSE LEVER #13.J9613 "AVANCE"
#13.J361 (Minor different from picture shown)
Polished Lacquered Brass



Rose #13.J361 and Key Rose # 14.J361Z

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER #13.J905 "ESCALIER"
ROSE #13.J93
ESCUTCHEON #13.J59 228 X 50 MM



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch






Escutcheon #13.J906
230 x 50 x 9 mm

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J496
ROSE

"SANSSOUCI"
#13.RJ22



PLUS
FINISH



showing different executions

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Escutcheon #13.J89 230 x 50 mm
Lever #13.J49.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J335 "BELLE EPOQUE"
 ROSE #14.984
 ESCUTCHEON #14.J983



Set: with escutcheon plate #13.J336

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch



55 mm backset
 Doorthickness: 1 ½ inch



65 mm backset
 Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.


Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #14.J4445

"NEW ORBIS" Rose #14.J3612 Flat



Roses Flat #14.J361 series



Roses Convex #14.J391 series



Choose finish in two tone. Ask our office about two tone options
Samples of two tone execution.



Lever #14.J444 with square roses #14.J371 series

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0076.106 "EXTRA BASSA" - NARROW STYLE
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J9015 "SCHONBRUNN" ESCUTCHEON #13.J51



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch







65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER #14.J463 "METEOR" ROSE #14.J361



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER #12.555.308 "Semi Flush"



#12.110F Round Rose flat



Stainless steel rose round, 55 mm diameter.



Stainless steel rose square, 55 x 55 mm



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



Lever Belvedere #13.J988 with Escutcheon 13.J988



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #14.J3812 "FLUX" with Rose #14.R388



All finishes and functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Thumb-turn set #14.J916 STANDARD with Rose #14.j3612



Thumb-turn set #14.J915 STANDARD with Rose #14.j361



Thumb-turn with rose 361 and Indicator with Rose.
 Dimension thumb-turn 44 x 33 mm. collar 17.5 mm diameter
 for use with roses with 18 mm diameter hole.
 Slotted Indicator #13.J92 with collar 17.5 mm
 diameter 21.5 mm and rose #361.
 Use with locks with privacy function (W)
 All finishes and functions available.

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch




55 mm backset
 Door thickness: 1 ½ inch






65 mm backset
 Door thickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
 Let us tell you about the lock functions and finishes that are available to you.
 Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: "COUPE" #11.1131

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R3711; 52 x 52 mm x 9 mm Polished Chrome

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch



#82.511.01
Glass door latch
Glass thickness: 10-12 mm

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686

INTO DESIGN

CATALOGO CATALOGUE



by Izerwaren.com


CONTEMPORARY

DECORATIVE INTERIOR DOOR HARDWARE

WWW.IZERWAREN.COM WWW.IZERWAREN.BIZ



Email: SALES@IZERWAREN.COM

PHONE: 954-763-6686 FAX: 954-522-6903





LEVER 15.0913

"OBLIQ 700"



LEVER 15.0912 **"OBLIQ 700"** only available with "Obliq" roses



Cylinder Key Rose and Privacy thumb-turn- indicator

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER 15.0922 **"WONDER"** with roses 14.3713




Minimal Cylinder Key Rose and Privacy thumb-turn- indicator

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.



Choose Our Marine Locks
on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch





65 mm backset
Doorthickness: 1 1/2 inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 15.0027 "CORA 720"




Q08KN - Q08KY




Q09KN - Q09KY



503NOQ86



503NO9Q6



All functions available

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 15.0426 "B-ARTE"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 15.0431 "Q-INSERT 425"
Ebony inlay with minimal roses and Privacy Thumb-turn



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #15.0429 "Q-STAR" MINIMAL Lever Rose 15.0124
Extend: 63 mm x 147 mm long



Privacy thumb-turns and on mini rose. Indicator not shown.



With square rose 50x50 mm; all functions available

Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch







Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0124 "Q-ARTE" WITH SQUARE ROSES 50 X 50 MM
Lever stand off: 50 mm x 141 mm long.



SATIN



With minimal roses



showing privacy with thumb-turn

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0026 "Q- MINI" - WITH SQUARE ROSES



Showing Privacy Function

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: "COUPE" #11.1131

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R3711; 52 x 52 mm x 9 mm Polished Chrome

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch





#82.511.01
Glass door latch
Glass thickness: 10-12 mm

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0120

"Q-10"



Drawings showing dimensions square roses 50 x 50 mm
All Functions (Passage, Privacy and Entry) available

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0116

"FLORIDA"





ROSE:

15.F802



15.F80



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0040

"IXIA"-



Lever "IXIA" Using mini roses with black nickel finish.



Cylinder Key Rose and Privacy thumb-turn- indicator

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0118 "OFELIA"-



Showing Privacy function.

All Functions Available (Passage, Privacy, Entry)

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch











65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 14.J3733 Jado



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch







65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0141 "SPRING"



Cylinder Key Rose and Privacy thumb-turn- indicator All functions available.

Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0122 "APRI" with square roses



LEVER: 15.0121 "APRI" WITH MINIROSES



WITH ROUND ROSES

Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0131 "SABINA"



ROSE: 15.F802



15.F80



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions. Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0006 "ELEGANCE



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



N NEW



SHIPS LEVER: 15.0130 "ELENA"



All Parts Brass. Roses 50 mm diameter.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0166 "MONIA 037"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0128 "NORMA"



ROSE:

15.F802

Roses 50 mm diameter.



15.F80

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0101

"CLAUDIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686





LEVER: 15.0000


"TOSCA"



| 105 |



|| 10



= 10

| 92 |

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0000

"TUSCANIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.555; 115 mm long x 20 mm;
stand off 25 mm with this square rose #12.1703




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



Round 55 mm #12.111

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 1/2 inch




65 mm backset
Doorthickness: 1 1/2 inch


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.53F; 143 mm long;
stand off 25 mm with standard plate; 20 mm wide




→ $2\frac{3}{16}$ "(55) | ← → | ← $\frac{9}{32}$ "(7.2) | ←





Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) | ← → | ← $\frac{9}{32}$ "(7) | ←



Rose #12.111



Semi Flush Lever #12.53F with escutcheon #12.222 (sliding door set up)

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Email our office for
details.

Sales@lzerwaren.com




Lever Lazer 130 #15.00031; 126 mm long x 59 mm;

→ | 2 3/16" (55) | ← → | | 9/32" (7.2) | ←




Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.

→ | 2 3/16" (55) | ← → | | 9/32" (7) | ←



Round 55 mm #12.111



Escutcheon Lazer #15.MP130. dimensions: 50 x 246 x 10

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch





65 mm backset
Doorthickness: 1 1/2 inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever Alise 171 #15.0171; 123 mm long x 64 mm;



Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are required by you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0116

"FLORIDA"





ROSE:

15.F802



15.F80



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0131 "SABINA"



ROSE: 15.F802



15.F80



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions. Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0130 "ELENA"



All Parts Brass. Roses 50 mm diameter.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0166 "MONIA 037"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0128 "NORMA"



ROSE:

15.F802

Roses 50 mm diameter.



15.F80

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0101

"CLAUDIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686





LEVER: 15.0000


"TOSCA"



| 105 |



|| 10



= 10

| 92 |

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0000

"TUSCANIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.555; 115 mm long x 20 mm;
stand off 25 mm with this square rose #12.1703




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



Round 55 mm #12.111

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: $1\frac{1}{2}$ inch



65 mm backset
Doorthickness: $1\frac{1}{2}$ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0076 "EXTRA BASSA" - NARROW STYLE
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Levers #15.0076

Roses #15 F80



Extra Bassa satin chrome and polished brass finish

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER: "COUPE" Polished Chrome #01.P342

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R371; 52 x 52 mm x 9 mm Polished Chrome

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch





#82.511.01
Glass door latch
Glass thickness: 10-12 mm


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.555; 115 mm long;
stand off 25 mm with standard plate; 20 mm wide
This picture: showing with glass door mechanism #82.511.18




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



#12.111

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch



65 mm backset
Doorthickness: 1 1/2 inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686