

IZERWAREN



Chapter One B

Tubular Locks Sets

For Swinging and Sliding Doors

Interior Grade Steel Parts



Edition 26

Fine Building and Ships Hardware
IZERWAREN.COM




EUROPE TYPE HANDING

Standard European (DIN) Handing for Mortise Locks and Swinging Doors:

The DIN Standard (Deutsche Industrie Norm) applies to most Mega Yachts Door Schedules.

OUTSIDE




INSIDE

DIN LEFT HAND


DIN RIGHT HAND

STANDARD UNITED STATES Handing schedule:




Handing Door Schedules for:

Residential European (DIN) and Residential American (US) Swinging Door
the following schedule applies, showing DIN Standard and US Standard:





Izerwaren
Order
numbers




Passage bolt with standard strike
60 mm or 2 3/8 inch backset
70 mm or 2 3/4 inch backset

Roses #12.173114

12.723238

12.723234

1 1/8" (28.5 mm) Faceplate optional.



Tubular passage and privacy latch 2 3/8 inch and 2 3/4 inch backset



Privacy bolt with strike ; pin operated.
60 mm backset or 2 3/8 inch
70 mm backset or 2 3/4 inch

Roses #12.173115

12.724238

12.724234






12.725238

12.725234

Privacy Dead Bolt; 2 3/8" backset
Privacy Dead Bolt; 2 3/4" backset with strike box;

#12.1735.508 set square roses #12.239.508 set round roses
Roses 55 x 55 mm or 65 x 65 mm see page 1-2-2



12.238134

12.238138

#12.23834 Dead Bolt 2 3/4" backset with strike box for key/key or key/ thumb-turn

#12.23838 Dead bolt 2 3/8" backset with strike box; for key/key or key/ thumb-turn



Order
numbers

- Tubular latch sets; steel parts Interior Grade
- Satin stainless steel
- Mirror Polished stainless steel



12.723238
12.723234

Passage bolt with standard strike
60 mm backset or 2 3/8 inch
70 mm backset or 2 3/4 inch


Sample roses #12.173114



12.724238
12.724234

Privacy bolt with strike; pin operated. Sample roses #12.173115
60 mm backset or 2 3/8 inch
70 mm backset or 2 3/4 inch

1 1/8" (28.5 mm) Faceplate optional.



12.725238 Dead Bolt 2 3/8" backset with strike box; #12.1704 Privacy set square roses

12.725234 Dead Bolt 2 3/4" backset with strike box



12.725238 Dead bolt 2 3/8 backset with strike box; #12.1735 Privacy set round roses

12.725234 Dead Bolt 2 3/4 inch backset with strike bolt
60 mm backset or 2 3/8 inch
70 mm backset or 2 3/4 inch


Function R = one sided - thumb turn only - please specify
Function S = both sided thumb turn indicator - please specify




#13.3295RS thumb-turn only with square rose
#13.3296RS indicator only with square rose



#13.3293RF thumb-turn only with round rose
#13.3294RF indicator only with round rose



Strike plate #12.1001 stainless steel



Strike plat #12.1003 stainless steel



Privacy bolt #12.725238 & Thumb-turn set #12.1704
Passage latch #12.723238
With rose pair #12.1703 and Lever pair #12.1251
Satin Stainless Steel Finish



Privacy bolt #12.725238 & Thumb-turn set #12.1735
Lever #12.1183; Rose #12.173114
Satin Chrome finish



#12.42311 dummy bolt with blank faceplate;
for bore hole 3/4 inch hole and 8x8 mm spindle
One side mounting possible
Both sides mounting possible

05 0423 00110




Izerwaren
Order
numbers

- Stainless Steel Roses for marine locks
- Specify Finish:
- Satin stainless steel or
- Mirror Polished stainless steel

12.173114 **Stainless steel rose,**
55 mm diameter or 2 3/16 inch
Clip on style with inner rose
For Levers. Screws invisible



#12.173114 Round Rose flat
55 mm diameter




Stainless steel rose round,
55 mm or 2 3/16 inch diameter
Clip on style with inner rose
Screws invisible

12.179814 **Stainless steel rose, pair**
65 mm diameter or 2 9/16 inch
Clip on style with inner rose
For Levers. Screws invisible



#12.179814 Round Rose flat
65 mm diameter




Stainless steel rose round,
65 mm or 2 9/16 inch diameter
Clip on style with inner rose
Screws invisible

12.1703.508 **Stainless steel rose square,**
55 x 55 mm or 2 3/16 inch
Clip on style with inner rose
For Levers. Screws invisible



#12.1703.508 Square rose flat
55 x 55 mm




Stainless steel rose square, pair
55 x 55 mm or 2 3/16 inch
Clip on style with inner rose
Screws invisible

12.1705 **Stainless steel rose square,**
65 x 65 mm or 2 9/16 inch
Clip on style with inner rose
For Levers. Screws invisible



#12.1705 Square rose flat
65 x 65 mm




Stainless steel rose square, pair
65 x 65 mm or 2 9/16 inch
Clip on style with inner rose
Screws invisible

12.1735.508 **Stainless steel Privacy set,**
Thumb-turn with indicator with
55 mm or 2 3/16 inch diameter roses
Clip on style with inner rose
Screws invisible
12 1735 10054



#12.1739.508 Privacy set
Thumb-turn + indicator
With round roses flat 55 mm




Privacy thumb-turn and indicator
With round roses 55 mm diam.

12.1736.508 **Stainless steel Privacy set,**
Thumb-turn with indicator with
55 x 55 mm or 2 3/16 x 2 3/16 inch
square roses; Clip on style with inner
rose
Screws invisible
12 1704 0054



#12.1736.508 Privacy set
Thumb-turn + indicator
With square roses flat 55 x 55 mm




Privacy set
With square roses flat 55 x 55 mm

12.1704.508 **Stainless steel Key rose,**
55 x 55 mm or 2 3/16 x 2 3/16 inch
square roses for profile cylinder;
Clip on style with inner rose
Screws invisible
17 1703 00210



#12.1704.508 Key rose square flat
55 x 55 mm



Key rose square flat
55 x 55 mm



Izerwaren
Order
numbers

- Stainless Steel Roses for marine locks
- Specify Finish:
- Satin stainless steel or
- Mirror Polished stainless steel



Lever #12.1183; Rose #12.1703




#12.1723 #12.173115 SET

12.173114 Stainless steel rose, Passage set

55 mm diameter or 2 3/16 inch
Clip on style with inner rose
For Tubular latch & Levers
Screws invisible



#12.173114 Rose for tubular latch set
55 mm diameter



#12.173114 Rose for tubular latch


→ 2 3/16" (55) ← → 1 1/2" (38) ←

12.173115 Stainless steel rose, Privacy set

55 mm diameter or 2 3/16 inch
Clip on style with inner rose
For Tubular latch & Levers
Screws invisible



#12.173115 Rose for tubular privacy set
55 mm diameter



#12.173115 Rose for tubular privacy latch
55 mm diameter


→ 2 3/16" (55) ← → 1 1/2" (38) ←

12.179814 Stainless steel rose, Passage set

65 mm diameter or 2 9/16 inch
Clip on style with inner rose
For Tubular latch & Levers
Screws invisible



#12.179814 Rose for tubular latch
65 mm diameter



#12.179814 Rose for tubular latch
65 mm diameter


→ 2 9/16" (65) ← → 1 1/2" (38) ←

12.179815 Stainless steel rose, Privacy set

65 mm diameter or 2 9/16 inch
Clip on style with inner rose
For Tubular latch & Levers
Screws invisible



#12.179815 Rose for tubular latch
65 mm diameter



#12.179815 Rose for tubular privacy latch
65 mm diameter


→ 2 9/16" (65) ← → 1 1/2" (38) ←

12.1703 Square Rose for Passage latch,

55 x 55 mm or 2 3/16 inch
Clip on style with inner rose
For Tubular latch and Levers
Screws invisible



#12.1703 Square rose for tubular latch
55 x 55 mm



#12.1703 Square rose for tubular latch
55 x 55 mm


→ 2 3/16" (55) ← → 1 1/2" (38) ←

12.170315 Square Rose for Privacy latch,

55 x 55 mm or 2 3/16 inch
Clip on style with inner rose
For Tubular latch and Levers
Screws invisible



#12.170315 Square rose for tubular
privacy latch; 55 x 55 mm



#12.170315 Square rose for
tubular privacy latch; 55 x 55 mm


→ 2 3/16" (55) ← → 1 1/2" (38) ←

12.1705 Square rose for passage latch,

65 x 65 mm or 2 9/16 inch
Clip on style with inner rose
For Tubular Latch and Levers
Screws invisible



#12.1705 Square rose
for tubular latch; 65 x 65 mm



#12.1705 Square rose for
tubular latch 65 x 65 mm


→ 2 9/16" (65) ← → 1 1/2" (38) ←

12.170515 Square rose for privacy set,

Thumb-turn with indicator with
55 mm or 2 3/16 inch diameter roses
Clip on style with inner rose
Screws invisible



#12.170515 Square rose
for privacy latch; 65 x 65 mm




#12.170515 Square rose for
tubular latch 65 x 65 mm

→ 2 9/16" (65) ← → 1 1/2" (38) ←



Izerwaren
Order
numbers




Passage bolt with standard strike
60 mm or 2 3/8 inch backset
70 mm or 2 3/4 inch backset

Roses #12.173114

12.723238

12.723234

1 1/8" (28.5 mm) Faceplate optional.



Tubular passage and privacy latch 2 3/8 inch and 2 3/4 inch backset



Privacy bolt with strike ; pin operated.
60 mm backset or 2 3/8 inch
70 mm backset or 2 3/4 inch

Roses #12.173115

12.724238

12.724234






12.725238

12.725234

Privacy Dead Bolt; 2 3/8" backset
Privacy Dead Bolt; 2 3/4" backset with strike box;

#12.1735.508 set square roses #12.239.508 set round roses
Roses 55 x 55 mm or 65 x 65 mm see page 1-2-2




12.238134


12.238138

#12.23834 Dead Bolt 2 3/4" backset with strike box for key/key or key/ thumb-turn

#12.23838 Dead bolt 2 3/8" backset with strike box; for key/key or key/ thumb-turn



Part no. 12.42311; **Dummy set complete** as shown, with face plate, lever 12.045 and special roses.



Through bolted mounting
with $\frac{3}{4}$ " $\varnothing$ borehole.



Set includes one mount bar, one straight spindle, one pair of $2\frac{3}{16}$ " (55 mm) flush roses and two levers. Supplied with blank faceplate to cover edge borehole.



DUMMY SETS

Trim Sets

RD RS

For Elements and Transitions Series only

05 0423 00701

Surface mounted subrose. Set includes one dummy mount subrose, one 2 3/16" (65 mm) rose and one lever.

#12.42315 DUMMY SET WITH SQUARE 65 MM ROSES, LEVERS

Trim Sets

RA RM

For Elements and Transitions Series only

05 0423 00402

Surface mounted subrose. Set includes one dummy mount subrose, one 2 3/16" (55 mm) rose, and one lever.

#12.42313 DUMMY SET WITH SQUARE 55 MM ROSES, LEVERS

#12.42314 SET: DUMMY WITH ESCUTCHEON #12.1410 245X45 MM LEVERs #12.045

KEYWAY/THUMBTURN SET

DEADBOLT WITH SCHLAGE KEYWAY #12.238134

BACKSET 2 3/8" FUNCTION KEY/ KNOB: FUNCTION "P"

Outside

Inside

5

Tail Piece Position

Outside

Inside


6

Test before closing the door!




Stainless steel Roses for full size mortise marine locks
Finish: satin or mirror polished stainless steel with Roses and Escutcheons

→ | $2\frac{3}{16}"$ (55) | ←




↓ $1\frac{5}{32}"$
(29) ↑



↓ $\frac{9}{32}"$ (7) ↑

#12.329.508 thumb-turn / indicator with 55 mm roses. Polished stainless steel available with 8x8 mm spindle or 7x7 mm spindle



← 55 →




#12.110F.308 Universal rose with inner plastic rose 55 mm diameter.
 Roses accept all levers and knobs with an 18 mm diameter collar.



→ | | ← $\frac{9}{32}"$ (7) | ← 55 → |



#12.110N.308 Spring loaded rose 55 mm diameter for use with matching levers and 8x8 mm spindle



Exploded view of sample of assembly spring loaded roses #12.11N.308 with matching levers with 8x8 mm stainless steel spindle.
 Depicted here with lever #12.045




Stainless steel roses for full size mortise marine locks Finish: satin or mirror polished stainless steel



Rose #12.1105 Fire rated rose 55 mm diameter. With stainless steel inner rose and collar.
For use with 9x9 mm stainless steel spindle and stainless steel lever. Shown here with lever #12.045




Rose #12.42313.308 Rose 55 mm diameter for use with creating dummy sets, fitting only our matching levers or knobs.



Dummy Set#12.42311 Rose tubular dummy plate with face plate (not shown) use with any lever with 18 mm diameter collar

Drill hole 18 mm diameter for 8 x 8 mm spindle

All our levers can be ordered with 19 mm collar or suitable for spring loaded roses for use with 9x9 mm or 8x8 mm spindle



#12.1703.508 Square rose flat 55 x 55 mm



12.1704.508 Key rose square flat 55 x 55 mm



Stainless steel escutcheons for full size mortise marine locks
Finish: satin or mirror polished stainless steel



#12.222 Escutcheon
stainless steel clip on model



#12.1410 escutcheon
Stainless steel clip on model



Spring loaded
escutcheon
for Izerwaren levers



Inner escutcheon
for any lever or knob
with 18 mm diameter
collar





#12.42314 dummy
plate escutcheon
for Izerwaren levers
(see page 1-1-3)

**Order only with
part #12.222 or
part #12.1410**

**Order only with
part #12.222 or
part #12.1410**

**Part of a set with
part #12.222 or
#12.1410**





Stainless steel Levers in combination with roses for full size mortise marine locks

Finish: satin or mirror polished stainless steel

WHEN ORDERING OUR MARINE LEVER SETS TOGETHER OR SEPARATE.

4 - FOUR - OPTIONS TO CHOOSE FROM:

1

When ordering Marine Levers with NON spring loaded roses, the set is shipped with a 9 mm and 8 mm spindle and bushing.



Part no. 12.110F for ordering rose separately



2

When Ordering our Marine Levers with Spring Loaded Roses, use part no. 12.110N for the rose



If ordering levers together w. roses, an 8 x 8 mm spindle will be provided + bushing to 9 x 9 mm.



3


WHEN ORDERING OUR MARINE LEVERS SEPARATELY, WE WILL SHIP AS FOLLOWS: LEVER WITH 18 MM DIAM. COLLAR, WHICH ALLOWS FOR A 9 X 9 SPINDLE. WE SHIP THE LEVER WITH A REDUCTION BUSHING TO 8X8 MM SQUARE STOCK. PLEASE ORDER SQUARE STOCK SEPARATELY ACCORDING TO DOOR THICKNESS AND LOCK TYPE.



4

ORDER FIRE RATED SET OF LEVERS WITH ROSES NO. 12.110S. WE WILL SUPPLY THE SET WITH 9 X 9 MM SPINDLE ONLY SPECIFY DOOR THICKNESS WHEN ORDERING.






Rose for Lever: 12.110F 55 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com






Rose #12.1703 Rose for Lever: 55 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com






Rose for Lever: 12.179814 - 65 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.
Contact our office at Sales@Izerwaren.com

WWW.IZERWAREN.COM SALES@IZERWAREN.COM





Rose for Lever #12.1705. 65 mm Diameter. Sold as pair.




Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.

Contact our office at Sales@Izerwaren.com


WWW.IZERWAREN.COM SALES@IZERWAREN.COM

**Stainless steel levers for full size mortise marine locks Finish: satin or mirror polished stainless steel**Izerwaren
Order
Numbers12.527.308 Lever Classic; 135 mm long
Polished stainless steelLever Classic # 12.527; 135 mm long; stands off 58 mm
Rose #12.110; 55 mm diameter12.045.308 Lever U shape; 131 mm long
Polished stainless steel


Lever #12.045; 142 mm long; stands off 64 mm; 20 mm diameter

12.547.308 Lever L shape; 132 mm long
Round corner
Polished stainless steel


Lever #12.547; 132 mm long; stands off 64 mm; 20 mm diameter

12.576.308 Lever L shape; 132 mm long
Square corner


Lever #12.576; 137 mm long; stands off 57 mm; 20 mm diameter

11.363.308 Lever cropped 108 x 49 mm
Polished chrome plated brass


Lever #11.3631; 108 mm long; stands off 49 mm; 20 mm diameter on base

12.53F.308 Lever Semi Flush; 143 mm long
Polished stainless steel

Lever #12.53F; 143 mm long; stands off 25 mm with standard plate; 20 mm wide




12.555.308 Lever Semi Flush; 120 mm long
Polished stainless steel

Lever #12.555; 120 mm long; stands off 25 mm; 20 mm wide; Rounded front

12.5SF Lever Semi Flush; 95 mm long
Polished stainless steelLever #12.5SF; 95 mm long; stands off 25 mm with standard plate; 20 mm wide
Use Lever Handles with Roses or Escutcheon Plates; See page 1-2 for details12.329.308 Thumb-turn 30 x 10 mm
On rose #12.1005 flat
Polished stainless steel




LEVER #12.555.308 "Semi Flush"



#12.110F Round Rose flat

Stainless steel rose round, 55 mm diameter.



Stainless steel rose square, 55 x 55 mm

Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 1/2 inch



65 mm backset
Doorthickness: 1 1/2 inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER: 12.53F

ROSE: 12.1798


All Parts Stainless Steel




Rose #12.1798



Square Rose #12.1703




#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704



#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size




Sliding door set up most used



Escutcheon #12.222




#12.1410




LEVER: 12.045

ROSE: 12.173114


All Parts Stainless Steel




Rose #12.1798




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.547

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.576.508

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222.508Z




#12.1410.508Z




LEVER: 12.1035 ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) diameter



Escutcheon #12.222.508Z



#12.1410.508Z

WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

In the 1950s, the Swiss architect, sculptor and designer Max Bill got together with Ernst Moeckel to fashion a door handle that made design history as the "Ulm handle". From this, Johannes Potente created the 1023 model, which has been an alternative to common U-shaped models ever since.



LEVER: 12.527

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

David Chipperfield's design for the 1004 bears the hallmark of the pioneers of modernism. It is based on a clear formal concept which meets all of the functional requirements while giving expression to his formal idea in both public and private spheres.



LEVER: 12.1004


ROSE: 12.1703



In the 1920s Mr. Mallet-Stevens mitred two sections of cylindrical tubing together: 1076. Mr. Wittgenstein bent a cylindrical brass tube: 1147. Messrs Gropius and Meyer married an angled piece of square section material to a handle bushing: 1102. However, we still don't know today who it was that picked up a saw and "liberated" 1147 from its hemispherical tip.



LEVER: 12.547 ROSE: 12.110




Door Pull: 12.666602

The architect Robert Mallet-Stevens (1886 – 1945) was the one who hit upon the idea of cutting a round tube in two and mitring the ends together again at a right angle. His creation is today known as the "Frankfurt Model". The handle was rediscovered when the Architecture Museum was rebuilt and proceeded to take the market by storm.



LEVER: 12.57647

ROSE: 12.110



DOOR PULL: 12.66669

In 1990, introduced a door handle to the market which originated in the 1920s. The 1076 model has since become the most-copied door handle of the last century. The version shown here, 1016, is a more closed-off counterpart to it.



LEVER: 12.527

ROSE: 12.110



DOOR PULL: 12.6514

150 MM X 350 MM


150 MM X 450 MM

It is not only the return that makes this version of door handle 1035 by Heike Falkenberg different from the original model. Model 1031 also features an inner steel core, creating a larger cross section and a greater grip area.



LEVER: 12.1031

ROSE: 12.110




DOOR PULL: 12.666540

1045 is based on model 1015, which was conceived in the 1930s by a company called wehag. Given the unceasing use of the 1015 model in commercial buildings, we have added a return variant of this design.



LEVER: 12.1045

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The design parameters of the 1025 are plain to see. A straight grip is joined to the pivotal point on the shank. The handle has a droplet-shaped cross-section. With its no-frills looks, this is a design that offers up its services humbly. The 1025 is brought to life by the way it seems to capture the light along its edges.



LEVER: 12.1025

ROSE: 12.110




DOOR PULL: 12.6666

There are a lot of wedge-shaped door handles. Almost every manufacturer offers its own version of this basic shape. The original design for this door handle was most probably produced by Professor Max Burchartz. The 1005 version by Johannes Potente is characterized by its slender proportions.



LEVER: 12.1005

ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

Catalogue No. 6 published by the S. A. Loevy bronzeware factory in the 1930s includes a variety of door fittings by Rachlis, Grenander, Behrens, Wagenfeld and Paul in which a round shank is combined with a flat grip section.



LEVER: 12.1021 ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

1173 sports a trumpet shape very much reminiscent of a model that cropped up in the Frankfurt area in the 1920s but has also long been part of the repertoire. It is a masterful variation on the “tubular design” topic and constitutes a welcome alternative to the familiar classics, which we shall refrain from advertising here.




LEVER: 12.1173 ROSE 12.110



POLISHED STAINLESS STEEL



Interior Grade Tubular Latch Bolt with Lever 12.1250



LEVER: 12.1250 ROSE: 12.110


WWW.IZERWAREN.COM SALES@IZERWAREN.COM

The 1027 model is a stock item in the trade. It is rather disparagingly referred to as the "shoe horn". The underlying design is from Professor Max Burchartz. The handle lies extremely snug in your hand and unobtrusiveness is its watchword. The version of the "shoe horn" is by Johannes Potente.



LEVER: 12.1027

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The 1028 is a variation on the parameters used in the 1025, without neglecting the ergonomic qualities. This is a design that both pleases the eye and is pleasant to touch. The undulating handle looks great and it nestles into your hand.



LEVER: 12.1005

ROSE: 12.110




DOOR PULL : 12.666611

WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

Hadi Teherani delivers the function of a cranked lever handle, while averting the danger of a users thumb hitting the frame, by shifting the handle's point of rotation leftwards.

The designer's model 1074 sports a similarly radical return to the door: he simply takes a third of the grip section and attaches it to same at right angles.



MFWFS OP/; 23/2185 SPTF OP/; 23/2814

X X X /J[FS X BSFO/DP N








TBMFT AJ[FS X BSFO/DP N



BAUHAUS

**JADO DECORATIVE
DOOR HARDWARE BY
IZERWAREN.COM**


Lock Functions Using Roses Or Escutcheon plates

 Privacy function with Round Roses	 Skeleton Key way Entry Fuction	 Entry Function with Round Roses (keyway not shown)
 Privacy function with Square Roses	 Bauhaus Holz Ebony Bauhaus Jado Design – Passage Function	 Entry function with Square Roses
 Privacy function with Escutcheon	Escutcheon #402 236 x 48 x 7 mm  Profile cylinder keyway Knob/Key #05.405.266	 Entry function with Escutcheon

IZERWAREN.COM / Decorative Levers



LEVER #14.J402 **"BAUHAUS"**
 ROSE #14.J371 52 X 52 MM
 Polished Chrome Plated Brass Plated.



Bauhaus Lever with Mini Roses and Escutcheons. Email us your preferences.

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch



55 mm backset
 Doorthickness: 1 ½ inch



65 mm backset
 Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
 Let us tell you about the lock functions and finishes that are available to you.
 Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #14.964.266 set with escutcheon **"BAUHAUS"**
 Escutcheon #14.J964 236 x 48 x 7 mm
 Polished Chrome Plated Brass Plated.



passage




entry



privacy



55 mm backset
 Doorthickness: 1 ½ inch










Email our office with your preferred function and finish.
Sales@izerwaren.com



LEVER #14.J4029

"BAUHAUS EBONY"



WITH FAKE SCREWS

STANDARD

SQUARE ROSES WITH FAKE SCREW VERSUS ROSES WITH NO SCREW SHOWING.
ALL ROSES ARE CLIP ON ROSES TO AN UNDERROSE WHICH IS SCREWED TO THE DOOR.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #14.J3402 "BAUHAUS" ENTRY SET DEPICTED
Satin nickel plated brass



ENTRY SET WITH ROUND ROSES DIAMETER: 52 MM

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch







65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.00013
ROSE

"IQ-CARRE"
#13.J371



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J3685 **"PURE QUATTRO"**
 ROSE #13.J371
 Polished chrome plated brass



Rose #14.J361

and square rose #14.J371

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch



55 mm backset
 Doorthickness: 1 ½ inch




65 mm backset
 Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
 Let us tell you about the lock functions and finishes that are available to you.
 Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



ROSE LEVER #13.J9613 "AVANCE"
#13.J361 (Minor different from picture shown)
Polished Lacquered Brass



Rose #13.J361 and Key Rose # 14.J361Z

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER #13.J905 "ESCALIER"
ROSE #13.J93
ESCUTCHEON #13.J59 228 X 50 MM



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch





Escutcheon #13.J906
230 x 50 x 9 mm

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J496
ROSE

"SANSSOUCI"
#13.RJ22



PLUS
FINISH



showing different executions

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Escutcheon #13.J89 230 x 50 mm
Lever #13.J49.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J335 "BELLE EPOQUE"
 ROSE #14.984
 ESCUTCHEON #14.J983



Set: with escutcheon plate #13.J336

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch



55 mm backset
 Doorthickness: 1 ½ inch



65 mm backset
 Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #14.J4445 "NEW ORBIS" Rose #14.J3612 Flat



Roses Flat #14.J361 series



Roses Convex #14.J391 series



Choose finish in two tone. Ask our office about two tone options
Samples of two tone execution.



Lever #14.J444 with square roses #14.J371 series

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0076.106 "EXTRA BASSA" - NARROW STYLE
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #13.J9015 "SCHONBRUNN" ESCUTCHEON #13.J51



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch









65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER #14.J463 "METEOR" ROSE #14.J361



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever Belvedere #13.J988 with Escutcheon 13.J988



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #14.J3812 "FLUX" with Rose #14.R388



All finishes and functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Thumb-turn set #14.J916 STANDARD with Rose #14.j3612



Thumb-turn set #14.J915 STANDARD with Rose #14.j361



Thumb-turn with rose 361 and Indicator with Rose.
 Dimension thumb-turn 44 x 33 mm. collar 17.5 mm diameter
 for use with roses with 18 mm diameter hole.
 Slotted Indicator #13.J92 with collar 17.5 mm
 diameter 21.5 mm and rose #361.
 Use with locks with privacy function (W)
 All finishes and functions available.

Choose Our Marine
 Locks on line:



40 and 50 mm backset
 Door thickness: 1 inch




55 mm backset
 Door thickness: 1 ½ inch





65 mm backset
 Door thickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
 Let us tell you about the lock functions and finishes that are available to you.
 Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: "COUPE" #11.1131

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R3711; 52 x 52 mm x 9 mm Polished Chrome



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch



#82.511.01
Glass door latch
Glass thickness: 10-12 mm

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686

INTO DESIGN

CATALOGO CATALOGUE



by Izerwaren.com


CONTEMPORARY

DECORATIVE INTERIOR DOOR HARDWARE

WWW.IZERWAREN.COM WWW.IZERWAREN.BIZ




Email: SALES@IZERWAREN.COM

PHONE: 954-763-6686 FAX: 954-522-6903




LEVER 15.0913

"OBLIQ 700"



LEVER 15.0912 **"OBLIQ 700"** only available with "Obliq" roses



Cylinder Key Rose and Privacy thumb-turn- indicator

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER 15.0922 **"WONDER"** with roses 14.3713




Minimal Cylinder Key Rose and Privacy thumb-turn- indicator

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.



Choose Our Marine Locks
on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: $1\frac{1}{2}$ inch



65 mm backset
Doorthickness: $1\frac{1}{2}$ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 15.0027 "CORA 720"



All functions available

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER 15.0426 "B-ARTE"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 15.0431 "Q-INSERT 425"
Ebony inlay with minimal roses and Privacy Thumb-turn



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER #15.0429 "Q-STAR" MINIMAL Lever Rose 15.0124
Extend: 63 mm x 147 mm long



Privacy thumb-turns and on mini rose. Indicator not shown.



With square rose 50x50 mm; all functions available

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch







Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0124 "Q-ARTE" WITH SQUARE ROSES 50 X 50 MM
Lever stand off: 50 mm x 141 mm long.



SATIN



With minimal roses



showing privacy with thumb-turn

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0026 "Q- MINI" - WITH SQUARE ROSES



Showing Privacy Function

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: "COUPE" #11.1131

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R3711; 52 x 52 mm x 9 mm Polished Chrome



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch




#82.511.01
Glass door latch
Glass thickness: 10-12 mm

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0120 "Q-10"



Drawings showing dimensions square roses 50 x 50 mm
All Functions (Passage, Privacy and Entry) available

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0116



"FLORIDA"



ROSE: 15.F802



15.F80



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0040

"IXIA"-



Lever "IXIA" Using mini roses with black nickel finish.



Cylinder Key Rose and Privacy thumb-turn- indicator

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0118 "OFELIA"-



Showing Privacy function.

All Functions Available (Passage, Privacy, Entry)

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch









65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER 14.J3733 Jado



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch







65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0141 "SPRING"



Cylinder Key Rose and Privacy thumb-turn- indicator All functions available.

Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0122 "APRI" with square roses



LEVER: 15.0121 "APRI" WITH MINIROSES



WITH ROUND ROSES



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0131 "SABINA"



ROSE: 15.F802



15.F80



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions. Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: #15.0006 "ELEGANCE



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1
inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



N NEW



SHIPS LEVER: 15.0130 "ELENA"



All Parts Brass. Roses 50 mm diameter.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0166 "MONIA 037"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at **izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0128 "NORMA"



ROSE:

15.F802

Roses 50 mm diameter.



15.F80

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0101

"CLAUDIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686





LEVER: 15.0000


"TOSCA"



| 105 |



|| 10



| 92 |

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0000

"TUSCANIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.555; 115 mm long x 20 mm;
stand off 25 mm with this square rose #12.1703



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.



Round 55 mm #12.111

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch




65 mm backset
Doorthickness: 1 1/2 inch


Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.53F; 143 mm long;
stand off 25 mm with standard plate; 20 mm wide




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←





Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



Rose #12.111



Semi Flush Lever #12.53F with escutcheon #12.222 (sliding door set up)

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 1/2 inch



65 mm backset
Doorthickness: 1 1/2 inch


Email our office for
details.

Sales@lzerwaren.com




Lever Lazer 130 #15.00031; 126 mm long x 59 mm;

→ | 2 3/16" (55) | ← → | | 9/32" (7.2) | ←




Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.

→ | 2 3/16" (55) | ← → | | 9/32" (7) | ←



Round 55 mm #12.111



Escutcheon Lazer #15.MP130. dimensions: 50 x 246 x 10

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch





65 mm backset
Doorthickness: 1 1/2 inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever Alise 171 #15.0171; 123 mm long x 64 mm;



Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are required by you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0116



"FLORIDA"



ROSE: 15.F802



15.F80



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0131 "SABINA"



ROSE: 15.F802



15.F80



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions. Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0130 "ELENA"



All Parts Brass. Roses 50 mm diameter.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0166 "MONIA 037"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0128 "NORMA"



ROSE:

15.F802

Roses 50 mm diameter.



15.F80

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch



Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0101

"CLAUDIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0000


"TOSCA"



| 105 |



|| 10



= 10

| 92 |

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0000

"TUSCANIA"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0076 "EXTRA BASSA" - NARROW STYLE
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Levers #15.0076

Roses #15 F80



Extra Bassa satin chrome and polished brass finish

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686