


IZERWAREN



Chapter One C Stainless Steel Lever Program For Swinging and Sliding Doors



#12.045N.508

Edition 26

Fine Building and Ships Hardware

IZERWAREN.COM



#11.SEFT.011 GSV 65 mm backset with Izerwaren Trim



19.83Z50.308 Entry Mortise Lock 50 mm Backset for Framed Doors



Entry lock Trioving heavy duty Mortise lock #11.3122


with upgrade Escutcheon and semi Flush Lever trim set # 13.9694Z

<https://izerwaren.biz/home/product/2563?name=entry-mortise-lock-set-complete-55-mm-backset-heavy-duty-solid-latch-mega-yacht-upgrade-polished-stainless-steel>



Sliding door Lockset #13.9699Z with semi flush levers

<https://izerwaren.biz/home/product/2477?name=sliding-door-lock-55-mm-backset-heavy-duty-with-profile-cylinder-heavy-minimum-door-thickness-1-3-4-inch-or-45-mm>



Trim for 40 and 50 mm locksets (4040, 4050 series and I6.S04 series)



#12.59Z



#12.59W



12.59F




Roses & Levers #18.740 + #16.924


GSV and S&B Trim for 40, 50 and 55 mm locksets see page 1-4 and following



Classic Lever #14.310



Lever handles #14.999




Lever handle #14.610

Shown with Escutcheon Plates #14.129 for use with 55mm backset GSV locks



#14.304 Lever roses, pair 51 mm pair; for levers 14.310; 14.999, 14.610



#14.60Z profile cylinder roses



#14.604 roses for bit keys



#14.40W Thumb-turn/indicator set




#10.9345Z.308 Set: Entry lock 55 mm backset, with lever #18.956, roses #14.304.











Levers #18.956

107 x 42 mm






showing with roses #14.304

For different options like finish and other configurations, please contact our office sales@izerwaren.com

Order number	Material	Back set	Specifics	Finish
 escutcheon plate passage model round holes square holes			 outside inside escutcheon plate mounting: through bolts with square female nut on outside, Philips head on inside	
#14.109.266	Brass		Pair; one w. round holes, One w. square holes	Polished chrome
#14.109.508	Stainless Steel	55 mm	Pair; one w. round holes, One w. square holes	Satin stainless steel
#14.109.308	Stainless Steel	55 mm	Pair; one w. round holes, One w. square holes	Polished stainless steel
#14.108.508	Stainless Steel		Single; round holes	Satin stainless steel
#14.107.508	Stainless Steel		Single; square holes	Satin stainless steel
 nylon insert bearing for escutcheon plates escutcheon plate drawing showing installed nylon bearing			 Thumb turn with 7 x 7 mm square stock for use with escutcheon #14.118.508	 M5x65 M5x45 M5x66 Through bolts, set, Stainless steel Indicate size For use with escutcheons
#14.1TT	Thumb-turn		Single, 7 x 7 mm spindle	Satin chrome brass
#14.139	Nylon		Bearing for escutcheon each	nylon
#14.149	Through bolts		Set, male-female ,	Stainless steel
 lever set with stainless steel spindle			 lever set #14.999	 #14.99A EXTENDED
#14.999.508	stainless steel		Lever handle set satin stainless steel	
#14.999.308	stainless steel		Lever handle set polished stainless steel	
#14.99A.508	stainless steel		Lever handle set satin stainless steel for rim locks	
#14.99A.308	stainless steel		Lever handle set polished stainless steel for rim locks	
 Brass lever set with stainless steel spindle			 Griffbüchsenpaar für Einsteckschlösser Door handle set for mortise locks Abb. Türstärke 28-50mm Pkt. Door thickness 28-50mm	
#14.3101	Chrome plated brass		lever set #14.310 with 8 x8 mm or 9x9 mm square spindle	
#14.310	Brass		Lever handle "sable" set polished chrome plated brass	
			Lever handle "sable" brass polished	




LEVER #12.555.308 "Semi Flush"



#12.110F Round Rose flat



Stainless steel rose round, 55 mm diameter.



Stainless steel rose square, 55 x 55 mm



Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER: 12.53F

ROSE: 12.1798


All Parts Stainless Steel




Rose #12.1798



Square Rose #12.1703




#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704



#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size




Sliding door set up most used



Escutcheon #12.222




#12.1410



LEVER: 12.045

ROSE: 12.173114


All Parts Stainless Steel




Rose #12.1798



Square Rose #12.1703




#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set




All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.547

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.576.508

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) size




Escutcheon #12.222.508Z



#12.1410.508Z


WWW.IZERWAREN.COM

SALES@IZERWAREN.COM




LEVER: 12.1035 ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) diameter



Escutcheon #12.222.508Z



#12.1410.508Z

WWW.IZERWAREN.COM

SALES@IZERWAREN.COM




PICTURED: DOUBLE DOOR SET UP WITH LEVER #12.1035 AND ESCUTCHEON #12.1410
DOUBLE DOOR LOCKS UPON REQUEST, DEPENDING ON YOUR APPLICATION.
CAN BE USED FOR MARINE APPLICATIONS AND COMMERCIAL APPLICATIONS

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



EXPLODED VIEW 2019 SETUP STAINLESS STEEL LEVERS AND STAINLESS STEEL ROSES



Lever shown:

LEVER 12.1093

ROSE 12.110N

WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

In the autumn of 1996, Düsseldorf-based interior designer Heike Falkenberg asked to recreate an old handle design for a renovation job. Using the sketch she submitted, developers milled a prototype from an 1076 handle. This looked so good that we decided to market our gripping idea.



LEVER: 12.1035

ROSE: 12.1703



DOOR PULL: 12.666540


WWW.IZERWAREN.COM SALES@IZERWAREN.COM

In the 1950s, the Swiss architect, sculptor and designer Max Bill got together with Ernst Moeckel to fashion a door handle that made design history as the "Ulm handle". From this, Johannes Potente created the 1023 model, which has been an alternative to common U-shaped models ever since.



LEVER: 12.527

ROSE: 12.110



WWW.IZERWAREN.COM

SALES@IZERWAREN.COM



ENTRY MORTISE LOCK COMMERCIAL GRADE

WITH STAINLESS STEEL LEVERS, THUMB-TURN AND SCHLAGE KEYWAY

LEVER: 12.1035 ROSE: 12.110 MECHANISM: UL RATED COMMERCIAL GRADE

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Interior Grade Privacy Set Up with Tubular Bolts and Lever #12.1251 and Rose #12.1703
Thumb-turn set with square roses #12.1736



LEVER: 12.1251

ROSE: 12.110




WWW.IZERWAREN.COM SALES@IZERWAREN.COM

David Chipperfield's design for the 1004 bears the hallmark of the pioneers of modernism. It is based on a clear formal concept which meets all of the functional requirements while giving expression to his formal idea in both public and private spheres.



LEVER: 12.1004


ROSE: 12.1703



In the 1920s Mr. Mallet-Stevens mitred two sections of cylindrical tubing together: 1076. Mr. Wittgenstein bent a cylindrical brass tube: 1147. Messrs Gropius and Meyer married an angled piece of square section material to a handle bushing: 1102. However, we still don't know today who it was that picked up a saw and "liberated" 1147 from its hemispherical tip.



LEVER: 12.547 ROSE: 12.110




Door Pull: 12.666602

The architect Robert Mallet-Stevens (1886 – 1945) was the one who hit upon the idea of cutting a round tube in two and mitring the ends together again at a right angle. His creation is today known as the "Frankfurt Model". The handle was rediscovered when the Architecture Museum was rebuilt and proceeded to take the market by storm.



LEVER: 12.57647

ROSE: 12.110



DOOR PULL: 12.66669

In 1990, introduced a door handle to the market which originated in the 1920s. The 1076 model has since become the most-copied door handle of the last century. The version shown here, 1016, is a more closed-off counterpart to it.



LEVER: 12.527

ROSE: 12.110



DOOR PULL: 12.6514

150 MM X 350 MM


150 MM X 450 MM

It is not only the return that makes this version of door handle 1035 by Heike Falkenberg different from the original model. Model 1031 also features an inner steel core, creating a larger cross section and a greater grip area.



LEVER: 12.1031

ROSE: 12.110




DOOR PULL: 12.666540

1045 is based on model 1015, which was conceived in the 1930s by a company called wehag. Given the unceasing use of the 1015 model in commercial buildings, we have added a return variant of this design.



LEVER: 12.1045

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The design parameters of the 1025 are plain to see. A straight grip is joined to the pivotal point on the shank. The handle has a droplet-shaped cross-section. With its no-frills looks, this is a design that offers up its services humbly. The 1025 is brought to life by the way it seems to capture the light along its edges.



LEVER: 12.1025

ROSE: 12.110




DOOR PULL: 12.6666

There are a lot of wedge-shaped door handles. Almost every manufacturer offers its own version of this basic shape. The original design for this door handle was most probably produced by Professor Max Burchartz. The 1005 version by Johannes Potente is characterized by its slender proportions.



LEVER: 12.1005

ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

Catalogue No. 6 published by the S. A. Loevy bronzeware factory in the 1930s includes a variety of door fittings by Rachlis, Grenander, Behrens, Wagenfeld and Paul in which a round shank is combined with a flat grip section.



LEVER: 12.1021 ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

1173 sports a trumpet shape very much reminiscent of a model that cropped up in the Frankfurt area in the 1920s but has also long been part of the repertoire. It is a masterful variation on the “tubular design” topic and constitutes a welcome alternative to the familiar classics, which we shall refrain from advertising here.




LEVER: 12.1173 ROSE 12.110



POLISHED STAINLESS STEEL



Interior Grade Tubular Latch Bolt with Lever 12.1250



LEVER: 12.1250 ROSE: 12.110


WWW.IZERWAREN.COM SALES@IZERWAREN.COM

The 1027 model is a stock item in the trade. It is rather disparagingly referred to as the "shoe horn". The underlying design is from Professor Max Burchartz. The handle lies extremely snug in your hand and unobtrusiveness is its watchword. The version of the "shoe horn" is by Johannes Potente.



LEVER: 12.1027

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The 1028 is a variation on the parameters used in the 1025, without neglecting the ergonomic qualities. This is a design that both pleases the eye and is pleasant to touch. The undulating handle looks great and it nestles into your hand.



LEVER: 12.1005


ROSE: 12.110



DOOR PULL : 12.666611

WWW.IZERWAREN.COM

SALES@IZERWAREN.COM



Escutcheon 12.1433 Convex; Lever 12.527; Mirror Polished Stainless Steel



Rose #12.1110F Lever #12.576
Thumb-turn set #12.1735



Rose 12.1798 Lever #12.567
Thumb-turn set #12.1735




Rose 12.1703 Lever #12.1004




Rose 12.1705 Lever #12.1004




Escutcheon #12.1433 Convex Stainless Steel
Size 265 x 55 mm (10 1/2" X 2 3/16")
Lever #12.576



**See Catalog Chapter I Page for details
Satin and Mirror Polished Finish**



Escutcheon 12.1433 Convex; Lever 12.576; thumb-turn 12.1708 Satin Stainless Steel







Izerwaren
Order
numbers

- Stainless Steel Escutcheons for marine locks
- Specify Finish:
- Satin stainless steel
- Mirror Polished stainless steel

12.1433F Stainless steel escutcheon plate
Passage model
Square corners, 265 x 55 x 9.5 mm
Clip on style with inner escutcheon
Screws invisible




#12.1433F




Clip on escutcheon #12.1433F with inner plate
Square corners, 265 x 55 x 9.5 mm
10 1/2 x 2 3/16 x 3/8 inch
Stainless steel
Renovation Style

12.1433Z Stainless steel escutcheon plate
Entry Model
Square corners, 265 x 55 x 9.5 mm
Clip on style with inner escutcheon
Screws invisible




#12.1433Z



Clip on escutcheon #12.1433Z with inner plate
Square corners, 265 x 55 x 9.5 mm
10 1/2 x 2 3/16 x 3/8 inch
Stainless steel; Renovation Style

12.222 Stainless steel escutcheon plate
with round corners, 245 x 45 x 10 mm
Screws invisible

12.1410 Stainless steel escutcheon plate
with square corners, 245 x 45 x 10 mm
Screws invisible



#12.222



#12.222 round #12.1410 square
Stainless steel with clip with inner plate

For Narrow Style Doors:
See pages I-9-I and I-14- and I-14-A
Cropped lever 12.021: See page I-1-2

All Lever Models: Page I-2



DUMMY SETS

Trim Sets

RD RS

For Elements and Transitions Series only

05 0423 00701

Surface mounted subrose. Set includes one dummy mount subrose, one 2 3/16" (65 mm) rose and one lever.

#12.42315 DUMMY SET WITH SQUARE 65 MM ROSES, LEVERS

Trim Sets

RA RM

For Elements and Transitions Series only

05 0423 00402

Surface mounted subrose. Set includes one dummy mount subrose, one 2 3/16" (55 mm) rose, and one lever.

#12.42313 DUMMY SET WITH SQUARE 55 MM ROSES, LEVERS

#12.42314 SET: DUMMY WITH ESCUTCHEON #12.1410 245X45 MM LEVERs #12.045

KEYWAY/THUMBTURN SET

DEADBOLT WITH SCHLAGE KEYWAY #12.238134

BACKSET 2 3/8" FUNCTION KEY/ KNOB: FUNCTION "P"

Outside

Inside

Tail Piece Position

5

Outside

Inside

90°


Test before closing the door!

6



SLIDING DOOR LOCK 12.7005 WITH SCHLAGE KEYWAY AND LEVER NO.: 12.576 ROSE 12.110

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



Series SLL

Sliding Door Lock

Backsets

2 1/2" (64 mm)
2 3/4" (70 mm)
3 3/4" (95 mm)
5" (127 mm)
6" (152 mm)



Strike


Deadbolt strike with dustbox.

As standard, the deadbolt is always supplied in satin chrome or satin brass. Custom finishes are available on request.

SLIDING DOOR LOCK NO. 12.7005 SPECIFY BACKSET



LEVER 12.567; ROSE 12.110



Cylinder must be ordered separately

KEYWAY THUMB-TURN UPON REQUEST; SPECIFY DOOR THICKNESS

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



FLUSH PULL SET WITH MORTISE SLIDING DOOR LOCK COMPLETE: 13.SB170



POCKET DOOR FLUSH LEVER SET:

PASSIVE SIDE LEFT, 13.SB007 (SET);

ACTIVE SIDE RIGHT 13.SB170 WITH MECHANISM





Izerwaren
Order
numbers

Flush levers and Pulls
Sliding Door Locks

13.SB170

Flush Pulls, Privacy set

230 x 70 mm 9 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness
Flush pulls with flaps and
Thumb-turn / indicator included
Parts separate: Page 5-1-E





Set: 13.SB170; Flush pulls with lock ESL 7001 **minimum door thickness: 1 1/2" (38 mm)**

13.7001

Sliding door lock

55 mm backset ~ 2 3/16 inch
Stainless steel front plate
Steel parts, interior grade





13.7001 passage lock 55 mm backset; satin stainless finish, steel parts, interior grade

13.7002

Sliding door lock, edge pull

55 mm backset ~ 2 3/16 inch
Stainless steel front plate
With edge pull
Steel parts, interior grade



13.7002 passage lock 55 mm backset with edge pull
satin stainless finish, steel parts, interior grade





Picture showing double door set

13.SB007

Flush Pulls with push/flap lever, set

230 x 70 mm 9 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness



Parts separate: Page 5-1-E

Flush trim set 13.SB007; Dummy set pulls for sliding doors. **Min. door thickness: 1 1/2 inch**
70 X 230 mm or 2 3/4 X 9 1/16 inch




Set: Flush pulls 13.425 | Spring loaded cup Minimum door thickness: 1 1/2" (38 mm)



Izerwaren
Order
numbers

Flush levers and Pulls
Sliding Door Locks



Set: Flush pulls 13.42511 Spring loaded cup Minimum door thickness: 1 1/2" (38 mm)
Size: 155 x 45 mm 6 1/16 x 2 3/4 inch

13.42511 **Flush Pulls, spring loaded cup**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness

13.42510 **Flush Pulls, with hole**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness

13.42512 **Flush Pulls, with small hole**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness



#13.42510
with cup



#13.42511
spring loaded





#13.42512
with slot

155 x 45 mm; 6 1/16 x 2 3/4 inch; Minimum door thickness: 1 1/2" (38 mm)
Stainless steel

13.42530 **Flush Pulls, Square** with hole
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel

13.42531 **Flush Pulls, Square** spring loaded
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel

13.42532 **Flush Pulls, Square** with slot
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel



Flush pulls #13.42530
with cup



#13.42531
spring loaded



#13.42532
with slot

70 x 70 mm; 2 3/4 x 2 3/4 inch; Minimum door thickness: 1 1/2" (38 mm)
Satin Stainless Steel




Flush Door Pull #13.42510
with cup

#13.42511
spring loaded

#13.42512
with slot

155 x 45 mm; Minimum door thickness: 1 1/2" (38 mm)
Satin or Mirror Polished Stainless steel






GLASS DOOR LOCK no. 82.5221 WITH LEVER no. 12.1074 commercial grade steel parts

Hadi Teherani delivers the function of a cranked lever handle, while averting the danger of a users thumb hitting the frame, by shifting the handle's point of rotation leftwards.


The designer's model 1074 sports a similarly radical return to the door: he simply takes a third of the grip section and attaches it to same at right angles.



MFWFS OP/; 23/2185 SPTF OP/; 23/2814

X X X /J[FS X BSFO/DP N

TBMFT AJ[FS X BSFO/DP N



Escutcheon: 12.1433 with clip on plastic insert (passage function)



Escutcheon 12.1433



with Lever: 12.527 & keyway



with Lever 12.567 & privacy funct.


Contact us at your convenience for your appropriate lever design, function and finish.

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




→ | $2\frac{3}{16}"(55)$ | ←

→ | | ← $\frac{9}{32}"(7)$



↓
 $1\frac{1}{2}"(38)$
↑



Rose for Lever: 12.110F 55 mm diameter All Parts Stainless Steel




Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com



WWW.IZERWAREN.COM SALES@IZERWAREN.COM



Rose #12.1703 Rose for Lever: 55 mm diameter All Parts Stainless Steel




Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com





→ | 2 9/16" (65) | ← → | | ← 9/32" (7)




Rose for Lever: 12.179814 - 65 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.
Contact our office at Sales@Izerwaren.com

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Rose for Lever #12.1705. 65 mm Diameter. Sold as pair.



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.

Contact our office at Sales@Izerwaren.com

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Rose for PC Keyway: 12.111.Z 55 x 55 mm All Parts Stainless Steel
 Clip on style function with inner rose. Screws invisible




Cylinder must be
 ordered separately

For Profile Cylinders: see section “Key Systems / Profile Cylinders”

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



Rose for PC Keyway: 12.1704 55 x 55 mm All Parts Stainless Steel
Clip on style function with inner rose. Screws invisible





Cylinder must be
ordered separately

For Profile Cylinders: see section “Key Systems / Profile Cylinders”


WWW.IZERWAREN.COM SALES@IZERWAREN.COM



Lever #12.555; 115 mm long;
stand off 25 mm with standard plate; 20 mm wide
This picture: showing with glass door mechanism #82.511.18




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or $2\frac{3}{16}$ inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



#12.111

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch



65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0116

"FLORIDA"





ROSE:

15.F802



15.F80



All functions available.

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: 15.0131 "SABINA"



ROSE: 15.F802



15.F80



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions. Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0130 "ELENA"



All Parts Brass. Roses 50 mm diameter.



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch




65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0166 "MONIA 037"



Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.

Email us at Sales@izerwaren.com or phone our office at 954-763-6686



SHIPS LEVER: 15.0128 "NORMA"



ROSE:

15.F802

Roses 50 mm diameter.



15.F80

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch





65 mm backset
Doorthickness: 1 ½ inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.


Email us at Sales@izerwaren.com or phone our office at 954-763-6686



Lever #12.555; 115 mm long x 20 mm;
stand off 25 mm with this square rose #12.1703




→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7.2) ←



Stainless steel rose square, pair #12.1703 Screws invisible
55 x 55 mm or 2 3/16 inch. Clip on style with inner rose.

→ $2\frac{3}{16}$ "(55) ← → $\frac{9}{32}$ "(7) ←



Round 55 mm #12.111

Choose Our Marine Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch



65 mm backset
Doorthickness: 1 1/2 inch

Please check our website at izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686




LEVER: 15.0076 "EXTRA BASSA" - NARROW STYLE
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Levers #15.0076

Roses #15 F80



Extra Bassa satin chrome and polished brass finish

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 ½ inch






65 mm backset
Doorthickness: 1 ½ inch

Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686



LEVER: "COUPE" Polished Chrome #01.P342

WITH SQUARE ROSES 52 X 52 x 9 MM
STANDOFF: 1 1/8 INCH



Rose 14.R371; 52 x 52 mm x 9 mm Polished Chrome

Choose Our Marine
Locks on line:



40 and 50 mm backset
Door thickness: 1 inch



55 mm backset
Doorthickness: 1 1/2 inch



#82.511.01
Glass door latch
Glass thickness: 10-12 mm

Please check our website at **izerwaren.com** for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@izerwaren.com or phone our office at 954-763-6686